



Long
service life



Rich styles
and colors



Resistance to
erosion impact


STONE COATED STEEL ROOF TILES

The substrate layer is resistant to corrosion, the surface of the colored sand can be isolated from ultraviolet light, the product stability is very high, and the service life can reach more than **50 years**




+919056866636/37/38

FOCUS ON HIGH QUALITY ROOFING MATERIALS



Stone coated steel roof tiles is a new type of advanced roofing material produced by high-tech, because of its beautiful, noise reduction, durable and other characteristics and is widely used in all kinds of building roofing



50 Years

Product service life

Products are made of high-quality aluminized zinc steel plate as the base material, with strong toughness and corrosion resistance, multi-layer structure superposition, enhance durability



MATURE TECHNOLOGY AND ADVANCED EQUIPMENT

Strictly control the core raw materials, guarantee the quality and product characteristics from the source, introduce advanced processing equipment, and press the cut steel plate through the mold to ensure that the mold is neat and beautiful




Cut raw materials

Select high-quality aluminum plated zinc steel plate as the base material, and use professional cutting equipment to cut into the appropriate size specifications to ensure the accuracy of the size and the flatness of the cutting



Die hydroforming

The mold is used to press the steel plate, press out a specific pattern or pattern, increase the beauty and practicality of the tile, and enrich the type and texture of the product



Spraying and drying

Spray a special resin adhesive, and evenly paste the color sand, enter the drying treatment, cycle 2-3 times cycle process to ensure that the color sand can firmly adhere to the bottom plate, do not drop sand and do not fade



WIDE RANGE OF SPECIFICATIONS

Diverse color choices and rich pattern design can meet the needs of different architectural styles and enhance the overall beauty of the building

Bond Tile



Tile Size	1340*420mm
Installed Size	1290*370mm
Tile Per Sqm	2.08 pcs / m ²

Shingle Tile



Tile Size	1340*420mm
Installed Size	1290*370mm
Tile Per Sqm	2.08 pcs / m ²

Milano Tile



Tile Size	1340*420mm
Installed Size	1290*370mm
Tile Per Sqm	2.08 pcs / m ²

Classic Tile



Tile Size	1340*420mm
Installed Size	1290*370mm
Tile Per Sqm	2.08 pcs / m ²

Roman Tile



Tile Size	1340*420mm
Installed Size	1290*370mm
Tile Per Sqm	2.08 pcs / m ²

Wood Tile



Tile Size	1340*420mm
Installed Size	1290*370mm
Tile Per Sqm	2.08 pcs / m ²

New Roman Tile



Tile Size	1300*420mm
Installed Size	1250*370mm
Tile Per Sqm	2.16 pcs / m ²

New Bond Tile



Tile Size	1340*420mm
Installed Size	1290*370mm
Tile Per Sqm	2.08 pcs / m ²

Tudor Tile



Tile Size	1340*420mm
Installed Size	1290*370mm
Tile Per Sqm	2.08 pcs / m ²

Slate Tile



Tile Size	1340*420mm
Installed Size	1290*370mm
Tile Per Sqm	2.08 pcs / m ²

COLOR CHART

The surface is covered with colored sintered sand, which not only enhances color brightness and design, but also improves noise reduction and durability



01 Spanish Red



02 Forst Green



03 Charcoal black



04 Harbour Blue



05 Brown Black



06 Smoky gray



07 Khaki



08 Wine Red



09 Green Black



10 Sky Blue



11 Coffe Black



12 Beige Red



13 Coffee brown



14 Black White



15 Black Red



16 Tiger

WIDELY USED IN VARIOUS **ARCHITECTURAL** SCENES

The durability and beauty of stone coated steel roof tiles make it widely used in various buildings such as self-built houses, shopping malls and villa roof tiles



Reduce noise

Colored sand and adhesive layers absorb outside noise and keep the room quiet



Weather resistance

Corrosion-resistant material, specially treated to resist the erosion of the natural environment



Light weight

Light weight, only 1/6 of the traditional tile, easy to handle and storage



Multiple colors

The color is rich and natural, the shape is flexible and diverse, and the decorative effect is good



Reduce cost

No need to dismantle, can be installed directly, reducing labor and material costs



Constant temperature

Multi-layer material, isolate indoor and outdoor temperature, control the indoor temperature constant



Fire retardancy

All raw materials are non-combustible materials, which can effectively prevent the spread of fire





Bond Tile

The size 1340*420 mm
 Coverage Size 1390*370 mm
 Coverage Area 2.08 pcs/m²




Shingle Tile

The size 1340*420 mm
 Coverage Size 1390*370 mm
 Coverage Area 2.08 pcs/m²

STRONG DECORATIVE QUICK INSTALLATION

Made of lightweight metal materials, it is light in weight, easy to handle and install, and there is no need to remove the old roof during installation, which greatly shortens the construction period, reduces the construction period and comprehensive installation cost



INSTALLATION ACCESSORIES

Acting as a drain and beautify the roof lines, these fittings play different roles in the roof system, working together to maintain the integrity and functionality of the roof



Roof integrity

With all kinds of accessories installed, roof system integrity



Enhanced roof safety

Enhanced protection at the link for improved system security and service life



Enhanced ornamentation


It has a rich choice of colors and types to meet various design needs




Water repellency

Drain and beautify the roof lines to guide the direction of water removal

ANGULAR RIDGE TILE




GUTTER PLATE




FLAT PLATE




ROUND RIDGED TILE



L RIDGE



RIDGE TILE



Beautiful and safe roofing material



FAST LOGISTICS **DELIVERY**

Efficient and professional loading system, with developed rapid logistics tools, can ensure the rapid and complete delivery of products



Pack and load



Maximum loading




Container transport

Advanced technology, **quality guaranteed**

The introduction of international advanced production equipment, many years of first-line product production process precipitation, a number of intelligent production lines, large-scale warehouse reserves, stable and reliable quality



Shock resistance



Water fastness



Flame retardancy




High toughness



CONTACT US



Roof Tech
ROOFING AND JOINERY

 +919056866636, +919056866637, +919056866638

 Info@jindalroofingsolution.in

 jindalroofingsolution.in